

**AMENDMENT TO THE SPECIFICATION**

Page 1, lines 4-7 have been amended as follows:

The present invention relates to a foldable chair assembly ~~[[,]]~~ and, more particularly, to a foldable chair assembly that can be folded and expanded easily and conveniently, thereby facilitating the user operating the foldable chair assembly.

Page 1, lines 9-14 have been amended as follows:

A conventional chair has a fixed size and cannot be folded, thereby occupying a large ~~larger~~ space when not in use. The foldable chair can be expanded when in use and can be folded when not in use so as to save ~~[[the]]~~ space, thereby facilitating the user storing the conventional foldable chair. However, the conventional foldable chair tends to be folded unintentionally, thereby causing danger to the user.

Page 1, line 19 through page 2, line 2 have been amended as follows:

Another objective of the present invention is to provide a foldable chair assembly, wherein when the foldable chair assembly is disposed at the normally stretched state, the limit rod is rested on the mediate portion of the second support leg, so that the first support leg is ~~combined with~~ supported by the second support leg so as to support the support frame and the seat rigidly and stably.

Page 2, lines 3-6 have been amended as follows:

A further objective of the present invention is to provide a foldable chair assembly, wherein when the foldable chair assembly is disposed at the normally stretched state, the bent portion of each of the two resting members has an ~~opening~~ inner arc facing downward.

Page 2, lines 7-10 have been amended as follows:

A further objective of the present invention is to provide a foldable chair assembly, wherein when the foldable chair assembly is disposed at the folded state, the bent portion of each of the two resting members has an ~~opening~~ inner arc facing upward.

Page 3, lines 7 and 8 have been amended as follows:

FIG. 2 is a ~~partially~~ perspective view of portions of the foldable chair assembly in accordance with the preferred embodiment of the present invention;

Page 5, lines 10-14 have been amended as follows:

As shown in FIGS. 2 and 4, each of the two resting members 3 is formed with a bent portion 30 located adjacent to the first end of each of the two resting members 3. The bent portion 30 of each of the two resting members 3 has an opening inner arc facing downward when the foldable chair assembly is disposed at an extended state as shown in FIG. 4.

Page 5, lines 15-18 have been amended as follows:

Referring to FIGS. 4-6 with reference to FIGS. 1-3, the limit rod 11 is initially rested on the mediate portion of the second support leg 2 as shown in FIG. 4, so that the first support leg 1 is ~~combined with~~ supported by the second support leg 2 so as to support the support frame 4 and the seat 6 rigidly and stably.

Page 5, line 19 through page 6, line 13 have been amended as follows:

When the user wishes to fold the foldable chair assembly, a first side 40 of the support frame 4 is pulled upward to move the first support leg 1 upward, so that each of the two resting members 3 ~~[[are]]~~ is pivoted about the second pin 51 in the counterclockwise direction to move from the position as shown in FIG. 4 to the position as shown in FIG. 5, thereby detaching the limit rod 11 from the mediate portion of the second support leg 2 as shown in FIG. 5. Thus, the second support leg 2 is movable relative to the first support leg 1. Then, a second side 42 of the support frame 4 is pressed downward to move the second support leg 2 downward, so that each of the two resting members 3 ~~[[are]]~~ is pivoted about the first pin 5 in the counterclockwise direction to move from the position as shown in FIG. 5 to the position as shown in FIG. 6. Thus, the first support leg 1 and the second support leg 2 are pivoted relative to each other to move toward the support frame 4, so that the first support leg 1 and the second support leg 2 are rested on the bottom the support frame 4, thereby folding the foldable chair assembly as shown in FIG. 6. At this time, the bent portion 30 of each of the two resting members 3 has an opening inner

arc facing upward when the foldable chair assembly is disposed at a folded state as shown in FIG. 6.

Page 6, line 14 through page 7, line 11 have been amended as follows:

Referring to FIGS. 7-9 with reference to FIGS. 1-6, when the user wishes to extend the foldable chair assembly, the first support leg 1 and the second support leg 2 are pivoted relative to each other to move outward relative to the support frame 4, so that the first support leg 1 and the second support leg 2 are spaced away from the bottom of the support frame 4. Then, the second side 42 of the support frame 4 is pulled upward to move the second support leg 2 upward, so that each of the two resting members 3 ~~[[are]]~~ **is** pivoted about the first pin 5 in the clockwise direction to move from the position as shown in FIG. 7 to the position as shown in FIG. 8. Then, the first side 40 of the support frame 4 is pressed downward to move the first support leg 1 upward, so that each of the two resting members 3 ~~[[are]]~~ **is** pivoted about the second pin 51 in the clockwise direction to move from the position as shown in FIG. 8 to the position as shown in FIG. 9, where the limit rod 11 is rested on the mediate portion of the second support leg 2, thereby expanding the foldable chair assembly as shown in FIG. 9. Thus, the limit rod 11 is rested on the mediate portion of the second support leg 2 as shown in FIG. 9, so that the first support leg 1 is ~~combined with~~ **supported by** the second support leg 2 so as to support the support frame 4 and the seat 6 rigidly and stably. At this time, the bent portion 30 of each of the two resting members 3 has an ~~opening~~ **inner arc** facing downward when the foldable chair assembly is disposed at the expanding state as shown in FIG. 9.

Page 7, line 12-22 have been amended as follows:

Accordingly, the foldable chair assembly can be folded and expanded easily and conveniently, thereby facilitating the user operating the foldable chair assembly. In addition, when the foldable chair assembly is disposed at the normally stretched state, the limit rod 11 is rested on the mediate portion of the second support leg 2, so that the first support leg 1 is ~~combined with~~ **supported by** the second support leg 2 so as to support the support frame 4 and the seat 6 rigidly and stably. Further, when the foldable chair assembly is disposed at the normally stretched state, the bent portion 30 of each of the two resting members 3 has an ~~opening~~ **inner arc** facing downward. Further, when the foldable chair assembly is disposed at

Serial No. 10/690,732

the folded state, the bent portion 30 of each of the two resting members 3 has an ~~opening~~ inner arc facing upward.